



Sitecore CMS 6.2

Content Author's Reference and Cookbook

A Conceptual Overview and Practical Guide to Using Sitecore

Table of Contents

Chapter 1	Introduction	5
Chapter 2	Sitecore.....	7
2.1	Logging In	8
2.2	Roles and Functionality	10
2.3	Item Locking.....	11
2.3.1	Item Locking in the Page Editor	11
	Minimal Page Editor	11
	Limited or Full Page Editor	11
	Unlocking Items	12
2.4	Formatting.....	13
Chapter 3	Managing Content in the Page Editor.....	14
3.1	The Page Editor	15
3.2	Editing an Item in the Page Editor.....	17
3.2.1	Editing a Simple Text Field	17
3.2.2	Editing a Rich Text Field.....	18
	Inserting a Link	18
	Inserting an Image	19
	Uploading an Image or File	19
3.2.3	Editing a Rich Text Field in the Rich Text Editor.....	20
3.2.4	Editing a Word Field in the Page Editor.....	21
	Configuring Word Fields.....	22
	Editing a Word Field.....	24
3.2.5	Editing a Graphical Item	25
	Editing the Link in an Image	26
	Changing the Image.....	26
	Editing the Properties of an Image.....	27
3.3	Creating a New Item in the Page Editor	29
3.3.1	Inserting Items.....	29
3.4	Deleting Content	32
3.4.1	Deleting an Item	32
Chapter 4	Managing Content in the Content Editor	33
4.1	The Content Editor	34
4.1.1	The Page Editor vs. the Content Editor	34
4.1.2	The Content Tree	37
	Searching in the Content Tree.....	37
	Adding an Extra Criteria	38
	Removing the Extra Criteria	39
4.1.3	Locking in the Content Editor.....	39
	Locking an Item.....	40
	Unlocking an Item	40
4.2	Editing an Item in the Content Editor.....	42
4.2.1	Editing a Rich Text Field in the Content Editor	42
4.2.2	Editing a Word Field in the Content Editor.....	44
4.2.3	Working with Graphics.....	46
	Changing an Image.....	46
	Uploading an Image.....	47
	Editing the Properties of an Image.....	48
	Editing an Image.....	49
4.3	Creating New Items in the Content Editor	51
4.3.1	Creating a New Item.....	51

Inserting a Sub-Item.....	51
4.3.2 Duplicating an Existing Item.....	53
Moving an Item	54
4.3.3 Copying an Item to another Location	54
4.3.4 Creating an Item Based on a Template.....	56
Previewing Your Changes.....	57
4.4 Deleting Items in the Content Editor	59
4.4.1 Deleting an Item	59
Chapter 5 The Rich Text Editor.....	60
5.1 Using the Rich Text Editor	61
5.1.1 Editing Text	61
Pasting Content from Word	61
5.1.2 Inserting, Removing, and Managing Links.....	61
Inserting an Internal Link.....	62
Inserting an External Link.....	62
Managing Hyperlinks.....	63
Removing a Link	65
Chapter 6 The Media Library	66
6.1 Overview.....	67
Opening the Media Library	67
6.2 The Media Library User Interface.....	68
6.2.1 Creating New Folders in the Media Library	69
6.3 Uploading Media Files.....	70
6.3.1 Upload Files	70
6.3.2 Upload Files (Advanced)	71
To Upload Multiple Files in a Batch	73
6.3.3 Uploading Files with Drag and Drop.....	74
6.4 Editing Media Items.....	78
6.4.1 Media Files and Media Items.....	78
6.4.2 The Image Editor.....	78
The Media Browser	79
6.4.3 Editing Options.....	79
6.4.4 Using Drag and Drop to Edit Media Items	81
The Drag & Drop Application Options.....	81
Editing Files from Drag & Drop Window.....	82
6.5 Media Items and Versioning	83
Versioned Media Items and Versioned Media Files	83
6.5.1 Creating a Second Numbered Version of a Media Item	84
6.5.2 Working with Versionable Media Files.....	85
Making Drag and Drop Files Versionable.....	85
Using Upload Files (Advanced) to Make Items Versionable	86
Chapter 7 RSS Feeds.....	87
7.1 RSS Feeds.....	88
7.1.1 Setting Up an RSS Feed	88
Identifying the Template that an Item is Based on.....	92
7.1.2 Creating a Link to the RSS Feed	93
Previewing the RSS Feed	94
A More Complicated Scenario.....	94
7.1.3 Subscribing to an RSS Feed.....	96
7.2 Sitecore Client Feeds	99
7.2.1 Item Feeds	99
Sitecore Workflow Feeds	101
Using the RSS Feeds.....	103
7.3 Security and Client RSS Feeds	105

Chapter 8	Workflows for Content Editors.....	106
8.1	Workflows	107
8.1.1	Implementing Workflows.....	107
8.1.2	Using Workflows.....	108
	Sending Content Items through Workflows	108
8.2	The Workbox.....	110
	Using the Workbox.....	110
	Several Workflows	112
Chapter 9	Customizing the Interface	113
9.1	Working with the Browser	114
9.1.1	Full Screen Mode	114
9.1.2	The Sitecore Desktop	114
	Changing the Desktop Background	114
	Changing Your Password.....	115
	Changing your Personal Information	116
	Changing Your Regional and Language Options	117
	Using the Default Settings.....	118
9.2	Customizing the Content Editor	119
9.2.1	Customizing the Ribbon.....	119
	Hiding the Ribbon	119
	Hiding Tabs.....	119
	Creating your own Toolbar	120
9.2.2	Customizing the Content Tree	121
	Hiding the Content Tree	121
	Resizing the Content Tree.....	122
	Configuring the Quick Action Bar.....	122
9.2.3	Changing the Application Options.....	123
	Setting the Display Name of an Item	125
9.3	Customizing the Page Editor	127
9.3.1	Working with the Ribbon.....	127
	Hiding the Ribbon	127
	Changing the Interface.....	127

Chapter 1

Introduction

The Content Author's Cookbook is designed to give content authors the information they need so that they can use Sitecore CMS to perform their day to day work. This cookbook is primarily aimed at introducing new content authors with limited computer skills to the tools that Sitecore contains. However, the procedures described in this document will also be beneficial for more experienced and technically skilled content authors who are unfamiliar with the tools that Sitecore contains.

Content authors must be able to update existing content on their corporate Web site or intranet as well as create new material. This cookbook explains how to perform both these tasks with the two editing tools that Sitecore contains — the Page Editor and the Content Editor — and demonstrates how to edit existing items and create new items with both of these tools. The cookbook also introduces some of the more advanced features and functionality that Sitecore contains.

This Content Author's Cookbook contains the following chapters:

- **Chapter 1 — Introduction**
This chapter is a description of the content, aims, and the intended audience of this manual.
- **Chapter 2 — Sitecore**
An introduction to some basic Sitecore functionality including item locking and formatting.
- **Chapter 3 — Managing Content in the Page Editor**
Step by step instructions for using the Page Editor to create and edit content.
- **Chapter 4 — Managing Content in the Content Editor**
Step by step instructions for using the Content Editor to create and edit content.
- **Chapter 5 — The Rich Text Editor**
Step by step instructions for creating several versions of the same item as well as creating different language versions of the same item.
- **Chapter 6 — The Media Library**
Step by step instructions for using the Media Library.
- **Chapter 7 — RSS Feeds**
Step by step instructions for creating RSS feeds.
- **Chapter 8 — Workflows for Content Editors**
Step by step instructions for creating and using workflows.

- **Chapter 9 — Customizing the Interface**
Step by step instructions for publishing content on your Web site.

Chapter 2

Sitecore

This chapter introduces some of the basic Sitecore functionality. This chapter explains how to log in, how item locking works, and describes how roles affect the functionality that is available to you in Sitecore CMS.

This chapter contains the following section:


- Logging In
- Roles and Functionality
- Item Locking
- Formatting

2.1 Logging In

You must log in to Sitecore before you can edit any of the content on a Web site.

To log in to Sitecore:


1. Enter Sitecore after the name of your Web site, for example
`http://www.mywebsite.net/sitecore` and the **Log in** page appears:



The screenshot shows the Sitecore login interface. At the top is the Sitecore logo. Below it is a red header bar. The main content area is titled "Welcome to Sitecore". It contains a login form with fields for "User name:" and "Password:", a "Remember me" checkbox, and a "Login" button. Below the form are links for "Forgot Your Password" and "Change Password". At the bottom of the form is an "Options" button. To the right of the login form is a sidebar with license information: "License Holder: Sitecore", "License ID: 20101115034447", and "Sitecore.NET 6.2.0 (rev. 101105)". Below the license information is a "Browser Notes" section stating "You are using Internet Explorer 7." and "Sitecore supports all user interfaces for this browser." At the bottom of the page is a link to "Visit www.sitecore.net".

2. Select the task you want to perform, enter your user name, password, and click Log in to log in and start editing the Web site.

- Alternatively, click **Options** to see the other options that are available.



- Select the user interface that you want to use, enter your user name, password, and click Log in to log in and start editing the website.

Note

In this manual, we use the Sitecore Training Sample Site as our demonstration site.


Configuring Sitecore on Internet Explorer

If you have any problems configuring your Sitecore client on Internet Explorer, see the Internet Explorer Configuration Reference at <http://sdn.sitecore.net/reference/Sitecore%20IE%20Configuration%20Reference.aspx>.


2.2 Roles and Functionality

Sitecore contains tools that are suited to both experienced and inexperienced content authors. The Content Editor is the editing tool for experienced users. However, depending on the roles you have been assigned, the functionality that is available to you may differ from the functionality described in this guide.



For example, a user who has been assigned one set of roles may see the following ribbon in the Content Editor:



Whereas a user who has been assigned another set of roles may see much more functionality in the Content Editor ribbon:



Furthermore, when you log in to the Sitecore Desktop, the set of applications shown in the Sitecore menu also depends on the roles that have been assigned to you. The following images show the Sitecore menu for two users who have been assigned a different set of roles:



2.3 Item Locking

Sitecore uses item locking to ensure that two different users can't edit the same item at the same time. If two or more users somehow managed to edit the same item simultaneously, only the changes that were made by the user who clicked Save last will be available. All the other changes will be lost.

Item locking is a system whereby you lock the item you are editing and prevent other users from editing this item until you unlock it again after you have finished editing the item.

Item locking works differently depending on the tools that you are using.

- In the Page Editor, you *can* lock an item before you start to edit it.
- In the Content Editor, you *must* lock an item before you can edit it.

2.3.1 Item Locking in the Page Editor

In the Page Editor, the way that item locking works depends on the access rights that you have been assigned.

Minimal Page Editor


If you only have access to the Minimal Page Editor, you do not have access to the ribbon and cannot manually lock an item before you edit it.

In this case, Sitecore checks whether an item is locked or not when you save it. If the item is not locked your changes are saved. If the item has already been locked by another user, you receive a message informing you that the item has been locked by another user and your changes cannot be implemented.

Limited or Full Page Editor

If you have access to the Limited Page Editor or the Full Page Editor, you can edit an item directly on the page without locking it. When you save the item, Sitecore locks it for you. If the item has already been locked by another user, you receive a message informing you that the item has been locked by another user.

Alternatively, you can click Lock or Edit to manually lock the current item before editing it.



When an item has been locked by you, it is noted in the My Items command.



In the previous image, the user has locked two items.

When you have finished editing the item, you must remember to unlock it so that other users can edit it if they need to.


Unlocking Items

You must remember to unlock items that you have locked.

To unlock an item, select the item and click Edit or Lock

If you have locked and edited numerous items, you can easily lose track of them all.

To see which items are still locked by you, in the **Edit** group, click My Items:



The **My Items** dialog box lists all of the items that you have locked.

To unlock one or more items select them and click Unlock. To unlock all the items, click Unlock All.

2.4 Formatting

In Sitecore, the formatting of the content that is displayed on a Web site is generally controlled by the style sheets that have been defined for the Web site by the administrators, designers, programmers, and so on.

This means that as a content author you do not have to worry about how the material you are responsible for is presented to the reader and can concentrate on the quality of the material.

You can of course influence the style by making some text bold or italic and so on. Furthermore if you know how to write HTML, you can edit the code and thereby influence the way that the content is presented. In general you can concentrate on the material that is presented and ignore the way that it is formatted.

Chapter 3

Managing Content in the Page Editor

This chapter introduces the Page Editor and the functionality it contains. It contains detailed descriptions of how to edit an existing item including how to edit simple text fields and rich text fields. There is a description of how to manage images in the Page Editor. There are also detailed instructions on how to create new items.

This chapter contains the following sections:

- The Page Editor
- Editing an Item in the Page Editor
- Creating a New Item in the Page Editor
- Deleting Content

3.1 The Page Editor

Content authors are generally focused on the quality and accuracy of the material displayed on the Web site and not on the design, style, and layout of the site. For this reason most content authors prefer to work in a program that is designed to meet their needs and not those of the developers and designers who create the Web sites.

With this mind, Sitecore CMS allows content authors to edit and create items directly on the Web page with the Page Editor. The Page Editor is the simplest of the editing tools that Sitecore contains. It is designed for inexperienced content editors who edit and write content items directly on the page. It is a WYSIWYG editor (what you see is what you get) and limits the amount of functionality that is presented to the user.

When you log in to the Page Editor, the functionality that is available to you can vary depending on the security roles that you have been assigned and the customizations that have been carried out on Web site you are accessing.

When you log in to the Page Editor, two buttons are displayed at the top of the Web page:




You can then navigate to the page that you want to edit and click Edit to open the Page Editor in edit mode.

The functionality that you have access to in the Page Editor can vary greatly. As a minimum you can expect to see some buttons at the top of the Web page:




If you have been given more access rights, you might be able to use a ribbon of commands. The ribbon you are presented with could look something like this:



This ribbon contains all the functionality available in the previous screenshot plus a little more.

When you are editing an item, you can click Ribbon to temporarily hide the ribbon and give yourself some more space to work with or have a less confusing layout. Click Ribbon again to display the ribbon.

If you have been given full access to the all the functionality contained in the Page Editor, you will be able to use all the commands in this ribbon:



This ribbon consists of six tabs each with its own collection of commands.

3.2 Editing an Item in the Page Editor

As mentioned earlier, the Page Editor is the simplest of the editing tools that Sitecore contains and has been designed for content editors who want to do their editing directly on the page.

The Page Editor is a WYSIWYG editor that allows you to see the changes that you make directly on the page. This makes it easier for inexperienced users to control the changes that they make to the content items they are responsible for.

In the Page Editor, you can edit:

- Simple text fields, date fields, and so on —fields that you edit on the page and have no extra functionality associated with them.
- Rich text fields — fields that you edit in the Rich Text Editor.
- Word fields — fields that you edit in Microsoft Word.
- Media items — any kind of graphical item or sound file.

Note

In all of the procedures described in this manual, we use the Sitecore Training Sample Site as the demonstration Web site.


3.2.1 Editing a Simple Text Field

To edit a simple text field:

1. Log on to the Page Editor.
2. When the **Page Editor** opens it displays two buttons:



3. Navigate to the item that you want to edit.
4. Click Edit to start editing the item.
5. In the item, select a simple text field that you want to edit.



6. Edit the text directly on the page. The text field automatically expands to fit the text you enter.

- When you are finished editing the text, you can start editing another text block or click Save to save the changes, Save & Close to save the changes and exit editing mode, or Close to close the item and exit editing mode without saving the changes.



3.2.2 Editing a Rich Text Field

A rich text field gives you more control over how the text appears on the Web page.

To edit a rich text field:

- Select a rich text field and Sitecore displays some extra options.

Depending on your installation, the options can vary from



to

You can either edit the text directly on the page or in the Rich Text Editor.


- When you edit a rich text field directly on the page, you can not only edit the text but may also be able to format it. You can make the text bold, italic, and underlined.

You can also insert a link or an image into the item.

Inserting a Link


To insert a link into a rich text field:

- Click the link button  to open the **Insert a Link** dialog box.



- In the **Insert a Link** dialog box, expand the content tree and select the item that you want to create a link to.
- Click Link to create the link.


4. If the item that you want to link to is an image or media file, click the **Media Items** tab.




5. Expand the content tree and select the media item that you want to link to.
6. Click Link to create the link.

Inserting an Image

To insert an image into the rich text field you are editing:

1. Click the Insert Image button  to open the **Insert Media Item** dialog box.





2. Expand the content tree and select the image or media item that you want to insert.
As you can see you can also insert other types of media into the item. These could be animations, film clips, sound files, and so on.
3. Click Insert to insert the image into the rich text field.

Uploading an Image or File


If the media file, that you want to create a link to, is not available in the media library, you must upload it to the media library.

To upload an image or file to the media library:

1. In the **Page Editor**, click the Insert Image button :



2. In the **Insert Media Item** dialog box, click Upload to open the **Upload a File** dialog box:




3. In the **Upload a File** dialog box, click Browse to locate the file you want to use. When you select the file, it is automatically uploaded to the Sitecore Media Library.

When the media file is available in the Media Library, you can create a link to it or use it to illustrate your Web site.


3.2.3 Editing a Rich Text Field in the Rich Text Editor

You can also edit rich text fields in the Rich Text Editor.

1. Select the rich text field that you want to edit:



- Click Edit Text to open the text in the Rich Text Editor:



- You can now edit the item in this window.

The Rich Text Editor gives you access to more functionality. You can:

- Insert and delete links to other parts of the Web site and to external Web sites.
- Insert pictures or other media items.
- Insert symbols into the text
- Paste text from Microsoft Word into the item.

If you prefer, you can use Microsoft Word to write the text you want to use in the item and paste it into the Rich Text Editor.

- Find and replace text in the item.

- When you are finished editing the item in the Rich Text Editor, click Accept to save your changes.

Furthermore, you can also view the item in HTML format, if you have the necessary expertise and feel comfortable editing the text in that format.

Note

Your Sitecore system administrator controls the functionality that is available in the Rich Text Editor. If you need more functionality, ask your administrator to make it available to you.

For more information about using the Rich Text Editor, see Chapter 5 'The Rich Text Editor.'

3.2.4 Editing a Word Field in the Page Editor

Sitecore also supports using Microsoft Word as the text editor. People who are familiar with Word may prefer using this tool to edit lengthy pieces of content. These Word fields are defined in the template by the developer who creates the Web site.

You can edit Word fields in the Page Editor.


Important

You must have Microsoft Word 2007 installed on your computer to edit Word fields in Sitecore.

Sitecore Word fields are only supported on Internet Explorer 7 and later.

Configuring Word Fields


If you are using Internet Explorer 8, the first time you access a Word field in Sitecore, you will receive an error telling you that your security settings won't let you run ActiveX controls on the page.



If this is the case, you must configure Internet Explorer to support Word fields in Sitecore.


To configure Internet Explorer to support the Word fields:

1. Ensure that you only have one instance of Internet Explorer open.
2. In **Internet Explorer**, click the Tools (ALT-T), and then click Internet Options.




3. In the **Internet Options** dialog box, click the **Security** tab, and then click Trusted Sites.

4. In the **Security level for this zone** section, click Custom level, and the **Security Settings - Trusted Sites Zone** dialog box appears.



5. In the **Security Settings - Trusted Sites Zone** dialog box, in the **Settings** section scroll down to the **ActiveX controls and plug-ins** node.
6. In the **Automatic prompting for ActiveX controls** section, click Enable.
7. Click OK to accept the changes that you made.

Now when you access a Word field in Sitecore, you are prompted to install an ActiveX component.



8. Click Install to install the component.

When the component is installed, you can edit the field in Word.


Note

After you have installed this ActiveX component, you should consider undoing these changes and going back to the original security settings.


Editing a Word Field

To edit a Word field in the Page Editor:

1. In the **Page Editor**, move the mouse over a Word field and it displays a small Word icon.



2. Click Edit to open a new window displaying the content of this field in Word.



You have access to all the functionality that Word contains.

3. To insert a Sitecore link to another item on your Web site, click Insert a Link.
4. To insert an image from the Media Library, click Insert Media.
5. To insert an image that is not in the Media Library, use Word's functionality.


You should upload any images that you want to use regularly to the Media Library.

6. When you are finished editing the Word field, click Accept to save your changes and close the window.
7. To close the window without saving your changes, click Reject.
8. In the **Page Editor**, save your changes and unlock the item.

For more information about Word, see Microsoft's documentation.

Depending on how your Web site has been configured, you can also edit Word fields directly on the page. If your Web site supports inline editing, all of the functionality of Word is available in the inline editing

pane.




1. Click Toolbar to display or hide the ribbon in Word.
2. To insert a Sitecore link to another item on your Web site, click Insert a Link.
3. To insert an image from the Media Library, click Insert Media.

For more information about configuring Word fields, see the *Presentation Component XSL Reference* manual.

3.2.5 Editing a Graphical Item

You can also use the Page Editor to edit any graphic items that are displayed on the Web site. When you select an image, you are presented with some additional options:



You can:


- Edit the link that the image contains – if there is one.
- Select the image to be displayed.
- Edit the properties of the image.

Once again, the options that are available to you can vary from installation to installation.

Editing the Link in an Image

To edit the link in an image:

1. If the picture is a link, click Edit Link:



2. In the left-hand pane of the **Internal Link** dialog box, select the item that the link should open. You can only link to another item in this Web site and cannot link to another Web site.
3. The **Internal Link** dialog box contains the following fields:

Field	Value
Link Description	A description of the link.
Anchor	The name of the anchor on the page you want to link to. The browser will scroll directly to this point on the page.
Target Window	Whether the link should use the same browser window, another browser window, or a custom window.
Custom	If you select Custom in the target Window field, you specify the custom window here.
Style Class	The style class that you want to use.
Alternate Text	An alternative text that will be displayed when you move the mouse over the image.
Query String	A query that will be added to the link.


4. Fill the fields in with the appropriate information.

Changing the Image

To change the image that is displayed in the rich text field:

1. In the **Page Editor**, select the image that you want to change.

2. Click Choose Image to open the **Media Browser** dialog box:



The **Media Browser** dialog box lets view all of the items that are currently available in the Sitecore Media Library.

3. Select the image that you want to use and click OK.


This new image is inserted into the current item.

4. In the **Page Editor**, click Save to save the changes, Save & Close to save the changes and exit edit mode, or Close to close the item and exit edit mode without saving the changes.

Editing the Properties of an Image

To edit the properties of the image:

1. In the **Page Editor**, select the image.
2. Click Properties to open the **Image Properties** dialog box.



3. In the **Alternate Text** field, enter the text to be displayed when you move the mouse over the image.
4. In the **Dimensions** section, specify the dimensions that the image should be displayed in — if they differ from the actual size of the image.
5. In the **Space** section, specify how much space should be placed around the image.

3.3 Creating a New Item in the Page Editor

As a content author, you not only have to edit content but also create new content items and insert them into the Web page where you want them displayed.


The ways in which you can create items in Sitecore can vary depending on the security roles that you have been assigned and the way your Web site has been customized.

3.3.1 Inserting Items

When you log on to the Page Editor, you should navigate to the page that you want to edit. When you click the Edit button at the top of the page, you are presented with all of the editing tools that are available to you on this Web site.

To insert a new item onto the page:


1. Click Insert to open the **Insert** dialog box.



The type of item that you can create will vary depending on where you are on the Web site. If you are on the front page, you can insert a new section and depending on the type of section you are on, you can add appropriate items to that section.

2. Select the type of item that you want to insert. In this example, you insert a new section.
3. In the **Item Name** field, enter the name of the section that you want to insert.


- Click Insert to create the new section and a section is added to the Web site:



As you can see, the new section contains no items and the sidebar contains the same text as the Home page.


When you create a new item, it is automatically locked to prevent other users from editing it.

- To add an item to the **Products** section, click Insert and the **Insert** dialog box contains the following options:



- Select the item that you want to create.
- In the **Item Name** field, enter the name of the new item and click insert.

These items have different designs and allow you to present different information on the Web page.




Both the items you can select and the presentation possibilities that they give you are determined by the design and style that has been implemented on your particular Web site.

8. You should now edit the items and the section you have inserted and add text, images, sidebar text, and so on.

When you are finished editing the new items, you must unlock them.

To unlock the items:

1. In the **Edit** group, click My Items to see a list of all the items you have locked.



2. In the **My Items** dialog box, select the items that you have finished editing and click Unlock to unlock the item. If you have finished editing all the items, click Unlock All to unlock all the items.


3.4 Deleting Content

Content authors must delete items and content from time to time. This is a very simple task in the Sitecore Page Editor.

3.4.1 Deleting an Item

To delete an item from the Web site:

1. Navigate to the item that you want to delete.
If you want to delete an item, navigate to that item.
If you want to delete a sub-item, navigate to the sub-item in question and not just the link to it that is shown on another item.
2. Click Delete to remove the item or section.
Once again, depending on the customizations carried out on your Web site and the way the Page Editor has been configured, the Delete button may be located on the ribbon or at the top of the screen.
3. If you try to delete an item that contains sub-items, a message will appear informing you that that the section contains sub-items and that these items will be deleted along with the section.



If you want to save any of the items, you must move them to another section.

4. Click OK to delete the item and its subitems.

Chapter 4

Managing Content in the Content Editor

This chapter introduces the Content Editor and the functionality it contains. It contains detailed descriptions of how to edit existing items. There is also a description of how to manage images in the Content Editor. There are detailed instructions on how to create new items and how to delete items.

This chapter contains the following sections:

- The Content Editor
- Editing an Item in the Content Editor
- Creating New Items in the Content Editor
- Deleting Items in the Content Editor


4.1 The Content Editor

The Content Editor has been designed for more experienced content authors who feel comfortable working with a computer, Microsoft Word, and are familiar with Sitecore and the functionality that it contains.


The Content Editor is a large application but its appearance and the functionality that it contains varies depending on the roles that have been assigned to the user, the local security settings and the amount of customizations that have been carried out on your installation.

The Content Editor gives the user access to an array of functionality that meets the needs of the more experienced content author.


The functionality that you have access to in the Content Editor can vary greatly. As a minimum you can expect to see:



If you have been given more extensive access rights, you will probably have access to more commands and more tabs:



If you have complete access to the Content Editor, it will look something like this:



4.1.1 The Page Editor vs. the Content Editor


When you log in to the Content Editor, the items that make up your Web site are presented to you in a very different way than they are in the Page Editor. In the Page Editor, you see the items as they are presented on the Web site. In the Content Editor, you see the items as objects in the content tree and when you select an item it is presented to you as a list of fields that you can edit.

For example, the Products section of the Sample Web site looks like this in the Page Editor:



You can edit all of the items that appear on the page — text, graphics, logos, links, and so on.


When you open the *Products* section in the Content Editor, it looks like this:



As you can see, it is presented as a list of fields that you can edit. Furthermore, the fields you are presented with are only those that belong to the Products item itself. The Sitecore logo, the Home Products item, and so on are all separate items and must be edited independently of each other in the Content Editor.

4.1.2 The Content Tree

One of the main features of the Content Editor is the content tree that it uses to present all the items that have been created for the Web site.



The Sitecore content tree has a similar structure to the one used in Windows Explorer. In Sitecore objects and groups are not represented by standard folder and file icons but by many different icons. You can expand and open every group in the Sitecore content tree just as you can the folders in Windows Explorer. When there is a plus '+' beside an icon, it contains sub items and can be expanded. When there is a minus '-' beside an icon, it has already been expanded and when there is no symbol, the item contains no sub items.

Searching in the Content Tree

There is a search function associated with the Sitecore content tree. This helps you find items quickly and can be particularly useful in very large Web sites and in sites that you are unfamiliar with.


To search for an object:


1. In the content tree, select the object that you want to search from. This is the starting point for your search.


The Sitecore search engine searches the entire content tree. However, the search results list the items that are found after this starting point above the items that are found before this starting point.

The Sitecore search engine does not support wildcards.

2. In the **Search** field, enter the value that you want to search for. This can be any character, number, word, and so on.



3. Click the Search button  or press ENTER to perform the search and the results are displayed.



Starting point for the search


Folder the item is stored in

Adding an Extra Criteria

Sometimes you might need to refine your search by entering extra criteria.


To add extra criteria to your search:

1. Click the drop-down arrow ▼ to open an extra pane:




2. If you want to search for an object by its name, enter the value in the **Name** field.

- To change the field that you search in, click the name of the field and a list appears displaying the names of all the fields in the current item.



- To add an extra criterion, in the **Add Criteria** field, enter the name of the criteria.



- Click Add Criteria to add the new criterion to the list.
- You can then click the name of the new criteria and select a field name from the list that appears.

The results of the search are displayed in the **Search Results** pane. The items that were found below the current item are displayed first.

Removing the Extra Criteria

To remove the extra criterion, click the criterion you want to remove and then click Remove at the bottom of the menu that appears.


4.1.3 Locking in the Content Editor

In the **Content Editor**, you *must* lock an item before you can edit it.


Locking an Item

To lock an item:

1. In the **Content Editor**, navigate to the item that you want to edit.
2. On the **Home** tab, click Edit to lock the item.



When you lock the item, the functions and commands that are available to you are activated in the **Content** pane.



3. You can now start editing the item.

Unlocking an Item

When you have finished editing the item, you must remember not only to save the changes but also to unlock the item so that others users can edit it.


To unlock the current item, click Edit.

As a content author, you often have to make extensive changes to many items on the Web site. This can mean that you have to lock many items and keep them locked to ensure that your changes are implemented consistently across all the items.


Sitecore keeps track of all the items that are locked to ensure that nobody else can edit them but it also keeps track of all the items that have been locked by each individual user.

To unlock the items you have locked:

1. In the **Content Editor**, click the **Review** tab.



2. In the **Locks** group, click My items:



The **My Items** dialog box lists all of the items you have locked. You can have locked these items during the current session or during previous sessions.

3. Select the items that you are finished editing and click **Unlock** to unlock them or click **Unlock All** to unlock all the items.

4.2 Editing an Item in the Content Editor

As mentioned earlier, experienced content authors feel more at home with the advanced functionality that is available in the Sitecore Content Editor.

In the Content Editor, you can edit all of the fields that an item contains — rich text fields, Word fields, image fields, and so on.

Note

You must lock an item before you can edit it in the Content Editor.


In all the procedures and tasks described in this chapter, it is assumed that you have already locked the item.

4.2.1 Editing a Rich Text Field in the Content Editor

After you have selected an item in the content tree, you can edit it.


To edit an item in the Content Editor:

1. In the **Content Editor**, locate the item that you want to edit in the content tree.




2. In the **Content** pane, locate the field that you want to edit.


3. If you want to edit a single line or multiple line text field, you can do it directly in the field:



4. When you want to edit a rich text field, you cannot edit it directly in the field:



5. Click Show Editor to open the Rich Text Editor:



The Rich Text Editor gives you access to more functionality. You can:

- Insert and delete links to other parts of the Web site and to external Web sites.
- Insert pictures or other media items.
- Insert symbols into the text.


- Paste text from Microsoft Word into the item.
If you prefer, you can use Microsoft Word to write the text you want to use in the item and paste it into the Rich Text Editor.
- Find and replace text in the item.

Note

The functionality that is available in the Rich Text Editor is controlled by your Sitecore system administrator. If you need more functionality, ask your administrator to make it available to you.

Furthermore, you can also view the item in HTML format, if you have the necessary expertise and feel comfortable editing the text in that format.

6. When you are finished editing the item in the Rich Text Editor, click Accept to save the changes you have made to the field.
7. In the **Content Editor**, scroll down through the item and expand all of the bands and check that all of the fields contain the right content. For example, does the sidebar contain the appropriate text?



8. Click the **Review** tab and in the **Proofing** group, click Spelling to start the spell checker. The spell checker runs through all the text fields in the item.
9. When you have finished editing the item, click Save to save the changes you have made to the item and then click Edit to unlock the item so that other users can edit it if they need to.

Note

The spell checker only checks the current item. If you have edited several items, you must open them individually and run the spell checker.

For more information about using the Rich Text Editor, see Chapter 5 'The Rich Text Editor.'

4.2.2 Editing a Word Field in the Content Editor

You can also edit Word fields in the Content Editor.

Important

You must have Microsoft Word 2007 installed on your computer to edit Word fields in Sitecore.


Sitecore Word fields are only supported on Internet Explorer 7 or later.

If you are using Internet Explorer 8, the first time you access a Word field in Sitecore, you will receive an error telling you that your security settings won't let you run ActiveX controls on the page.


To learn how to configure Internet Explorer 8 to run this ActiveX control, see “Configuring Word Fields” on page 22.

To edit a Word field:

1. In the **Content Editor**, open the item you want to edit.



2. Click Edit to open a new window displaying the content of this field in Word.



This window gives you access to all of the functionality in Word.

3. To insert a Sitecore link to another item on your Web site, click Insert Link.
4. To insert an image from the Media Library, click Insert Media.
5. To insert an image that is not in the Media Library, use Word's functionality.

You should upload any images that you want to use regularly to the Media Library.

6. When you are finished editing the Word field, click Accept to save your changes and close the window.
7. To close the window without saving your changes, click Reject.
8. In the **Content Editor**, save your changes and unlock the item.

For more information about Word, see Microsoft's documentation.


4.2.3 Working with Graphics

As a content editor, you will often have to change or edit the media items that are displayed on your Web site.


Changing an Image

To change an image:

1. In the **Content Editor**, locate the item that you want to edit in the content tree.




2. In the **Content** pane, click Browse to open the **Media Browser** dialog box:



When the **Media Browser** opens, it displays the image that is already shown in the item you are editing.

3. Locate the image that you want to use, select it, and click OK.
4. The image you selected is now used in the item you are editing.




Uploading an Image

If the image you want to use is not available in the Media Library, you can easily make it available by uploading it to the Media Library.

To add an image to the Media Library:

1. In the **Content** pane, click Browse to open the **Media Browser** dialog box.

2. In the **Media Browser** dialog box, click Upload:



3. In the **Upload a File** dialog box, click Browse and navigate to the image that you want to add to the Media Library.


The image is automatically uploaded to the Media Library and you can now use it on your Web site.

Editing the Properties of an Image


After you have added an image to an item in the Content Editor, you can edit the properties of the image.

To edit the properties of the image:

1. In the **Content** pane, scroll to the field containing the image.



2. Click Properties to open the **Image Properties** dialog box:




3. In the **Alternate Text** field, enter the text that you want to be displayed when you move the mouse over the image.
4. In the **Dimensions** section, specify the dimensions that the image should be displayed in — if they differ from the actual size of the image.
5. In the **Space** section, specify how much space should be placed around the image.

Editing an Image


You can also use Sitecore to edit the image if you need to.

To edit an image:

1. Scroll to the field that contains the image.



2. Click Edit Image to open the image in the Image Editor:



3. In the Image Editor, you can crop, resize, flip and rotate the image.

If you need to do more to the image, you should use a proper image editor such as Photoshop or Paint Shop Pro and then upload the image to the Media Library again.

4. When you are finished editing the image, click Save and close the Image Editor to return to the Content Editor.

All the changes that you make are applied to the version of the image that is stored in the Media Library and not just the copy shown on your Web page.

5. In the **Content Editor**, click Refresh to see the changes that you made.
6. If you want to remove the image, click Clear.

4.3 Creating New Items in the Content Editor


There are several ways to create new items in the Content Editor.

You can:

- Create a new item
- Duplicate an existing item
- Copy an item to another location.
- Create an item based on a template.

In the Content Editor, when you insert a new item, it is generally created as a sub item of the current item. However, you can also create a new item at the same level as the current item. You *cannot* create an item that is at a higher level than the current item.

The following sections describe how to use the Sitecore ribbon to create, copy, move, duplicate and delete items. You can also access all of this functionality by right-clicking in the content tree.



4.3.1 Creating a New Item


You can easily create a new item as a subitem of the current item.

Inserting a Sub-Item


To insert a new sub-item:


1. In the **Content Editor**, locate the item for which you want to create a new sub-item.

2. In the **Insert** group, click one of the item types that is displayed:



3. If the item type you want to insert is not displayed, click the scroll arrows in the **Insert** group to find the type of item you want.

Alternatively, in the **Insert** group, click the drop-down arrow  and select the subitem from the list that appears:




4. In this drop down list, you can select a subitem or a sibling. A sibling is an item on the same level as the current item.

To insert an item at the same level as the current item, in the Insert a New Sibling section, click Site Section.


In this example, we add a new product category to the list. This new category is a subitem of Products and can contain its own subitems.

5. Select the type of subitem that you want to create and a dialog box appears prompting you to name the new item:



6. Enter a name for the new item.

The new item is now added to your Web site.



As you can see, the new item has been created as a subitem of products and has been automatically locked.

Every new item that you create is automatically locked and opened for you. You must unlock them before other users are allowed to edit them.


7. Edit the new item. Scroll down through the fields and add an image, text, and so on.
When you have finished editing the item, you can add a new subitem to it.

4.3.2 Duplicating an Existing Item

Sitecore lets you duplicate existing items.

To duplicate an existing item:

1. In the content tree, locate the item that you want to duplicate.
In this example, we will duplicate the *Wash-o-matic* product and then move it to the new product category that we just created.
2. On the **Home** tab, in the **Operations** group, click **Duplicate** and a dialog box appears prompting you to name the new item.
3. Enter a name for the new item and it is added to the content tree:




As you can see, the new item has been added at the same level as the item you duplicated. It also contains all of the same text, images, and so on as the original item.

4. Edit the new item and enter the text, images, and so on that you want to be displayed in this item. When you have finished editing the item, you can move it to the correct location.


Moving an Item

To move an item:

1. In the content tree, locate the item that you want to move.
2. On the **Home** tab, in the **Operations** group, click Move To.



3. In the **Move Item To** dialog box, select the location that you want to move the item to.
4. Click Move to move the item to the new location.




4.3.3 Copying an Item to another Location


You can also create a new item by copying an existing item to the location where you want the new item to belong.

To copy an item to another location:

1. In the content tree, locate the item that you want to copy.
2. On the **Home** tab, in the **Operations** group, click Move To.




3. In the **Copy Item To** dialog box, select the location that you want to copy the item to.
4. Click Copy and the item is copied to the specified location.



5. Edit the new item.

6. On the **Home** tab, in the **Rename** group, click Rename:





7. Enter the new name of the item.

4.3.4 Creating an Item Based on a Template

If you have been given sufficient access rights, you can also create an item based on a template.


To create an item based on a template:

1. In the content tree, locate the item that you want to create a subitem for.
2. On the **Home** tab, in the **Insert** group click the scroll arrow  and select Insert from Template.



3. In the **Insert from Template** dialog box, select the template that you want to use to create the new item.
4. In the **Item Name** field, enter a name for the new item.

- Click Insert and the item is added to the content tree.



- Edit the item.
- Save your changes.

Previewing Your Changes

When you have finished editing all the new items that you have created you might like to see how these new items will look on your Web site.

To see a preview of your changes:

- Click the **Publish** tab.
- In the **Publish** group, click Preview to see how the item looks.



A new browser window opens displaying the current item. You can then browse the Web site to see all the changes that have been made.

The following changes have been made to the sample site:

- The *Novelty Products* category has been added to the product category list. The *Products* page contains a *Novelty Products* entry.
- The novelty items, Clown Shoes, and so on, have been created in the novelty products category. The *Novelty Products* page lists all of the products that we created items for.
- Each of the products that you created has its own page in the Web site.

When you are satisfied with all the changes that you have made, unlock all the items that have been locked during this session.

4.4 Deleting Items in the Content Editor

Content authors must delete items and content from time to time. This is a simple task in the Content Editor.

4.4.1 Deleting an Item


To delete an item from the Web site:

1. In the content tree, locate the item that you want to delete.
2. On the **Home** tab, in the **Operations** group, click Delete.

Alternatively, you can right-click the item in the content tree and click Delete in the shortcut menu that appears.

The item is deleted from the Web site.

3. If you try to delete an item that contains sub-items, a message will appear informing you that that the section contains sub-items and that these items will be deleted along with the main item.



If you want to save any of the items, you must move them to another part of the Web site.

4. Click OK to delete the item and its subitems.

Chapter 5

The Rich Text Editor

The Rich Text Editor is the word processing tool that Sitecore uses. This chapter explains some of the functionality that it contains. The topics described in this chapter include inserting, removing and managing links.

This chapter contains the following sections:

- Using the Rich Text Editor


5.1 Using the Rich Text Editor

When you are editing a rich text field in the Page Editor or in the Content Editor, you must use the Rich Text Editor. This is a standard word processing tool but in Sitecore we have removed most of the formatting functionality because the format of the items that content authors create and edit is determined by the style sheets and templates that have been implemented for your Web site.

However, if you need access to more functionality in the Rich Text Editor, you should contact your system administrator and they can make it available to you.

5.1.1 Editing Text

When you open the Rich Text Editor, the text in the field you are editing is displayed:




You can now edit the text and use the functionality that is available.

Pasting Content from Word

As a content author, you might feel more comfortable writing your content in Word. When you are satisfied with the material, you can paste it into the Rich Text Editor.

To paste content from Word:

1. Select and copy all the text in Word that you want to paste into a rich text field in Sitecore.
2. In Sitecore, open the Rich Text Editor.
3. Click the Paste from Word button  and the text is pasted into the Rich Text Editor.

When the text is pasted in, all of the information about fonts, sizes, formatting, and so on is removed.

However, if you have created a table in Word, it is pasted in and you must reformat it in the Rich Text Editor.


5.1.2 Inserting, Removing, and Managing Links


As a content author, you will have to manage links in your content. The Rich Text Editor allows you to insert, remove, and edit the links in your content.

Inserting an Internal Link


An internal link is a link to another item on your own Web site.

To add an internal link:

1. In the **Rich Text Editor**, select the image or text that you want to be a link.
2. Click the Insert Sitecore Link button .



3. In the **Insert a Link** dialog box, in the **Internal Link** tab, expand the content tree and select the item that you want to create a link to.
4. Click Link to create the link.
5. If the item you want to create a link to is an image or media file, click the **Media Items** tab.





6. Expand the content tree and select the media item that you want to link to.
7. Click Link to create the link.

Inserting an External Link

An external link is a link to another Web site.

To insert an external link:

1. In the **Rich Text Editor**, select the image or text that you want to be a link.
2. Click the Hyperlink Manager button .



3. In the **Hyperlink Manager** dialog box, enter the information about the Web site you want to link to.


Field	Value
URL	The URL of the Web site.
Existing Anchor	Whether there is an anchor already.
Link Text	The text in the link. You can edit this text here.
Type	The type of link you want to create.
Target	The window that the link should open.
Tooltip	A tooltip that is displayed when you move the mouse over the link.
CSS Class	The style sheet that the link should use.

Managing Hyperlinks


You can also use the **Hyperlink Manager** dialog box to edit existing links, create anchors, and create e-mail links.

An anchor is an HTML code that is used to create a link to another page or to a particular section within a page.


To create an anchor:

1. In the **Rich Text Editor**, select the image or text that you want to be an anchor.
2. Click the Hyperlink Manager button .

3. In the **Hyperlink Manager** dialog box, click the **Anchor** tab.




4. In the **Name** field, enter the name of the anchor.
5. You can now create a link to this anchor by selecting it in the **Hyperlink Manager** dialog box.



You can also use the **Hyperlink Manager** to create e-mail links. An e-mail link opens a new mail in the program you use to send e-mail, for example, Outlook. The e-mail will be sent to the e-mail address specified in the e-mail link.


To create an e-mail link:

1. In the **Rich Text Editor**, select the image or text that you want to be the link.
2. Click the Hyperlink Manager button .
3. In the **Hyperlink Manager** dialog box, click the **E-mail** tab.



4. In the **Address** field, enter the e-mail address that the mail should be sent to.
5. In the **Subject** field, enter the text that you want to appear in the **Subject** field in the e-mail.

Removing a Link

To remove a link, in the Rich Text Editor, select the link and click the Remove Link button . The link is removed and the text becomes ordinary text.

Note

You can use the **Hyperlink Manager** to edit any links that exist on your Web site.

Chapter 6

The Media Library

This chapter introduces the Sitecore Media Library and the functionality that it includes. It describes how you can use the media library to upload and edit different types of media items such as images, audio and video. It also covers other more advanced options such as versioning.

This chapter contains the following sections:

- Overview
- The Media Library User Interface
- Uploading Media Files
- Editing Media Items
- Media Items and Versioning

6.1 Overview

You use the Media Library to store all the media files that you want to use on your Web site. Media files, such as images, can be embedded in a Web page or made available for download by visitors to your Web site.

The Media Library can contain the following:

- Images — .jpg, .gif, .png and other formats
- Word documents — .doc and .docx files
- PDF documents
- Videos — .MPEG, .WMV and other formats
- Audio files — .MP3 and other audio formats

Sitecore has an Image Editor you can use to edit images or you can use your own preferred image editing software.

The Media Library has the following benefits:

- You can keep all your media files in one place and organize them in a folder structure similar to the content tree.
- You can navigate the content tree or use Sitecore's search functionality to quickly find media items.
- It is easy to upload media files to the Media Library. You can use the upload buttons to browse your computer for images or simply use the drag and drop dialog box to add media files.
- You can make every media content item and media file versionable.


Opening the Media Library

There are a number of ways to open the Media Library:

Content Editor

1. Log in to Sitecore as admin and select Desktop.
2. Click the Sitecore menu, and then click Content Editor.
3. In the **Content Editor** content tree, click the Media Library node.

Alternatively, click Media Library in the bar at the bottom of the Content Editor.




Sitecore Menu

1. Log in to Sitecore as admin and select Desktop.
2. Click the Sitecore menu, and then click Media Library.

6.2 The Media Library User Interface

The Media Library user interface consists of the following elements:



The Ribbon

In the Media Library, you get the same set of options in the ribbon as you do in the Content Editor, although the **Insert** group allows you to create new media folders and upload media files.

If you select a media item in the content tree, the **Media** tab is displayed, which gives you two further groups of actions:

- Write — Save changes
- Media — View, Edit, Download, Drag & Drop

Note

The functionality that you get in the ribbon depends on the user rights you have been assigned by the Web site administrator.

The Content Tree

Use the content tree or the search box to find media items. Expand nodes in the content tree to see all sub-folders and close nodes to hide sub-folders.

You can view the Media Library content tree from the Content Editor or the Media Library.

Folders

The **Folder** tab displays the options and media contents for a selected folder in the Media Library.

You should store all your media items in folders and give folders meaningful names.


An easy way to organize your Media Library folder structure is to mirror the structure of your Web site. For example, if your site has four main sections; *Home*, *Products*, *Jobs* and *Contact Us* you could create four folders with the same names to store all your images and other media. This will make it easier to locate media items as your site grows and you need to update media items.

6.2.1 Creating New Folders in the Media Library

You can create new folders in the Media Library content tree and you can add further sub-folders if you wish but try to keep your folder structure as simple and uncluttered as possible.

To create a new folder:

1. In the **Options** pane, click New Folder.
2. Give the new folder a name such as, *My Site Images*.
3. The new folder is displayed at the same level as the other folders in the content tree.



4. Select the new folder and you can see the **Options** section displayed in the **Folder** tab. The new folder has the same upload options as the other Media Library folders. Now you can start uploading media items to the new folder.

6.3 Uploading Media Files

In the Media Library, there are three different ways to upload media files:


- Upload Files
- Upload Files (Advanced)
- Drag & Drop

6.3.1 Upload Files


Use the Upload Files button to add single or multiple files to the Media Library.

To upload a single media file:

1. In the **Media Library**, in the content tree, select a destination folder, such as the *Images* folder.
2. In the right-hand pane, in the **Options** section, click Upload Files.




3. In the **Select Files to Upload** dialog box, browse to an image folder on your computer and select the file that you want to upload.




- Click Open.

During the upload process the following information is displayed:



- When the upload is complete, the image is displayed *Images* folder in the Media Library:




6.3.2 Upload Files (Advanced)

Use the Upload (Advanced) button to upload single or multiple media files to the Media Library.

To upload multiple files:

- In the **Media Library**, in the content tree, select the *Images* folder.


- In the right-hand pane, in the **Options** section, click Upload Files (Advanced).



- In the **Select Files to Upload** dialog box, browse to the folder on your computer that contains the images you want to upload.

To select multiple files, press the CTRL key while you select the files.

- Click Open.
- Before the upload process can start, the following dialog box is displayed:



This dialog box contains the following information and additional upload options:

Field	Description
Filename	Displays a list of the files to upload — file name and extension, such as, jpeg, gif, or png.
Size	Displays the size of each file in kilobytes.

Field	Description
Alternate Text	Enter an alternative description here if you are uploading an image.
Unpack Zip Archives	Select this option if you upload a Zip archive and want to unpack the files in the Media Library.
Overwrite Existing Media Items	Select this option if you upload a file with the same name as a file that already exists in the Media Library, and want to overwrite the existing file. If you don't select this option, a duplicate file is created in the Media Library.
Make Uploaded Media Items Versionable	Select this option if you want to make the file you are uploading versionable. If you don't select this option, versioning remains switched off.
Upload as Files	Select this option to store the file in the file system rather than in the database.

- Click Upload.


The uploaded images are displayed in the *Images* folder in the Media Library.

To Upload Multiple Files in a Batch

- Create a `.zip` archive on your local computer with the files you want to upload. You can include sub-folders with files.

The folder structure is recreated in the **Media Library** after the files are extracted.

- In a **Media Library**, select the folder that you want to upload the files to.
- In the right-hand pane, click the **Folder** tab and then click Upload Files (Advanced).
- In the **Select Files to Upload** dialog box, browse to the `.zip` archive.
- Click Open.
- Select the **Unpack ZIP archives** checkbox.




- Click Upload.

The archive is uploaded and extracted to the Media Library folder you selected.


6.3.3 Uploading Files with Drag and Drop

You can also use drag and drop to upload files to the Media Library. Drag and drop is the quickest and easiest way to upload media files to the Media Library. You can upload single or multiple files from your computer to the **Drag and Drop** dialog box.




To drag and drop files to the Media Library:

1. In a **Media Library**, select the folder that you want to upload the files to.
For this exercise, we have created a new folder called *My Site Images*.
2. In the **Folder** tab, click **Drag & Drop** to open the **Drag and Drop** dialog box.




3. Open Windows Explorer.


4. In **Windows Explorer**, navigate to the folder where the images are stored and select the images you want to upload.




5. Position the **Windows Explorer** window next to the **Drag and Drop** dialog box.
6. Drag the selected images from **Windows Explorer** to the **Drag and Drop** dialog box.




7. The **Drag and Drop** dialog box displays the images that you want to upload.



8. If the folder already contains images, you must drag the new images to the row of thumbnails displayed at the bottom of the dialog box.



9. When you have dragged all the images to the **Drag and Drop** dialog box, click Done and they are copied to the **Media Library**.
10. In the **Media Library**, **Media** section, you can now see the images that you uploaded and that each item contains a warning.



11. Open the media item for each image and enter some text in the **Alt** field. This removes the warning from each item.

Note

Drag and drop functionality is currently only supported in Internet Explorer 7 or later. If you use a different browser such as Mozilla Firefox, you can only use the Upload Files and Upload Files (Advanced) options to upload files to the Media Library.

For more information about configuring Internet Explorer to support Drag and Drop, see the WebDav Configuration documentation that is available on the Sitecore Developer Network.

6.4 Editing Media Items


In the Media Library, you can edit media items such as images, documents and videos either using Sitecore tools such as the Image Editor for images or with other applications that you have installed on your computer such as Microsoft Word for documents or Photoshop for images.

6.4.1 Media Files and Media Items

Before we start to edit a media item, it is important to understand the difference between media files and media items. An image stored in *My Pictures* on your computer is called a media file. If you upload an image file from here to the Sitecore Media Library, it is attached to a media item and from then on is referred to as a media item.

In Sitecore, a media item is just another content item that is composed of several fields and always has a file attached to the **Media** field. To view a media item, click one of the images you uploaded earlier.

A Sitecore media item:



6.4.2 The Image Editor


To open an image for editing in the Image Editor:

1. Click the Sitecore menu.
2. Click All Applications and then click Image Editor.
3. In the **Image Editor** window, click Open to open the **Media Browser** window and select an image.

The Media Browser

In the **Media Browser** window, you can view all the media items in the Media Library. You can expand or contract nodes in the Media Library content tree to find the media item you want to edit.

To upload new media items from the **Media Browser** window, click Upload or Drag & Drop.




Note

You can also access the Media Browser from the Content Editor. In a content item, in an **Image** field, click Browse to open the **Media Browser** window.

6.4.3 Editing Options

You can also edit media items locally on your computer. For example, you may prefer to use another application to edit images and then upload them again to the Media Library.


When you click on a media item, the Edit icon in the **Media** group changes depending on the type of file you want to edit. For example, if you click a Word document, you see a pencil as the associated icon.



If you click on an image, you see an artist's palette.





If you select an image item and then click the top half of the Edit command, you open the image in the **Sitecore Image Editor** by default.



You can change the default setting and use a different image editing program.


To change your default image editor:

1. In the **Media Library**, click the Sitecore button  and then click Application Options.



2. In the **Application Options** dialog box, click the **Media** tab.
3. In the **Media Edit Button Default** section, select the **Open editing application installed on user's computer** check box.
4. Click OK to save your changes.

In the **Media** group, click the Edit arrow and a drop-down list appears:



- Edit in Image Editor
- Edit in Local Editor

These options allow you to override the default setting and select which editor you prefer to use.

6.4.4 Using Drag and Drop to Edit Media Items


You can also use the Drag & Drop dialog box to select a file and edit it.

However, there are some application options that control how files are displayed and how editing works in the **Drag & Drop** dialog box.

The Drag & Drop Application Options

To set the Drag & Drop application options:

1. In the **Media Library**, click the Sitecore menu, and then click **Application Options**.



2. In the **Application Options** dialog box, click the **Media** tab.
3. In the **Drag & Drop** section, you can specify the display settings for the **Drag and Drop** dialog box.

There are two options:

- **Show only latest version of files**

If you select this option:

The **Drag & Drop** dialog box only displays the latest version of each media file.

When you open the **Drag and Drop** dialog box and delete the latest version of a media file from there, every version of the file is deleted.

When you open the **Drag & Drop** dialog box and edit a media file from there, a new version of the file is automatically created when you save your changes.

- **Show versioned files in folders**

If you select this option:

The **Drag and Drop** dialog box displays every version of the file in a folder. Different folders are created for each language that your Web site uses.

When you open the **Drag and Drop** dialog box and delete a version of a media file, Sitecore only deletes that version of the file.

When you open the **Drag and Drop** dialog box and edit a media item, you must click **Save As** to create a new version of the item.

4. In the **Media Edit Button Default** section, you specify which applications should be used to edit media files.

If you select the **Open editing application installed on user's computer** check box, Sitecore uses the local image editing application that is associated with the different image file extensions on your computer. This is the default setting.

If you clear this check box, the Sitecore Image Editor is used.

For more information about Drag and Drop and versioning, see 'Making Drag and Drop Files Versionable' on page 85.

Editing Files from Drag & Drop Window

You can also edit media items from the **Drag & Drop** dialog box.

1. Select a media folder and then open the **Drag & Drop** dialog box.
2. In the **Drag & Drop** dialog box, select the image you want to edit.
3. Right-click the image, click Open With and then select an image editing application from the menu displayed.
4. The image opens in the image editing program.
5. Edit the image and save your changes in the editing application.

If you click Save, the original image file is overwritten.

If you click Save As, you create a new image in the **Drag & Drop** dialog box. You do not have to upload the file again. All the changes you make to the image are saved in the **Drag & Drop** dialog box.

6. In the **Drag & Drop** dialog box, click Done.

6.5 Media Items and Versioning

In Sitecore, a Web site consists of multiple content items. Each content item is made up of fields which contain content such as text or images. The Media Library contains media items. Media items are just another kind of content item. However, media items have an additional field called *Media* which has an attached media file.

You can create multiple versions of any content item or media item. There are two types of versions you can create:

- **Numbered versions**
For example, you could create a second version of your products page that is to be used during a special promotion for a limited period. You could crop an image especially for this promotion and then revert back to the original image afterwards.
- **Language versions**
For example, you could create a page in Danish and then create a second version in English. You would therefore want an image to display Alt text in both languages.

As stated earlier, versioning can be applied to content items and media items in the same way. However, media files that you upload to the Media Library can also be made versionable.

Note

There is no limit to the number of versions you can create in Sitecore.

Versioned Media Items and Versioned Media Files

In Sitecore, there is an important difference between versioning media items and versioning media files. The following scenarios explain the difference:

Scenario 1

You have a media item called *diver*. In the Content Editor, you click the **Versions** tab and make a second version of this item.


The image file attached to the **Media** field (*diver.jpg*) in this item is **not** versionable by default.

You want to create a second version of this item with different Alt text for your company's spring promotion. The attached media file, *diver.jpg* is not versionable, so it remains unchanged when you create the new version. Only the information contained in item fields can be changed. Regardless of how many versions of this item you create, the attached media file (*diver.jpg*) remains unchanged.

Scenario 2

You have a media item called *diver.jpg*. In this scenario, before you upload the file to the Media Library, you decide to make it versionable. To do this, in the **Upload Files (Advanced)** dialog box, select

the **Make Uploaded Media Items Versionable** check box.



Now when you create a second version of the item you can also keep any changes you make to the media file. For example, if you crop or edit the image you can create a second version each time you make a change to the file.

Note


When you upload new media files to the Media Library, they are unversioned by default.

6.5.1 Creating a Second Numbered Version of a Media Item

To make a second numbered version of a media item:


1. In the Media Library content tree, select a media item.
2. Click the **Versions** tab and in the **Versions** group, click Add, to add a new version.

In the top right of the *diver* media item, you can now see a number 2. This is the number of the new version of the item that you created.



To switch between versions:

1. Click the drop-down menu next to the version number and all versions of the selected item are displayed.



2. Click the version number you want to view.
Both numbered and language versions are displayed here.
You can also click the Versions command in the **Versions** group to view different versions.

6.5.2 Working with Versionable Media Files

Media files that you upload to the Media Library are not versionable by default. However, media files can be made versionable after you have uploaded them to the Media Library.

Why make media files versionable? When you edit an image, you may want the option to revert back to an older version of the image.

There are two ways you can make a media file versionable:

- Drag & Drop
- Upload Files (Advanced)

Making Drag and Drop Files Versionable

To make all the media files that you upload to the **Drop & Drag** dialog box versionable:

1. Open the Media Library.
2. Click the Sitecore button and then click **Application Options**.
3. In the **Application Options** dialog box click the **Drag & Drop** tab and select the **Show only latest version of files** option.

You must also change a configuration setting in the `web.config` file.

1. The `web.config` file is stored in the web root folder of your Web site:
`C:\Inetpub\wwwroot\YourSitecoreWebsite\Website`
2. Right-click the `web.config` file, click Open With, and then click Notepad.
3. Locate the following setting:

```
<setting name="Media.UploadAsVersionableByDefault" value="false" />
```

To make every media file that you upload with the Drag & Drop functionality versionable, set this value to *true*.

The default setting is *false*.

4. Save your changes and close the `web.config` file.


Changing this setting in the `web.config` file makes every file that you upload to the **Drag & Drop** dialog box versionable.

The way the **Drag & Drop** dialog box functions and displays media files is determined by the application options you select in the **Application Options** dialog box.

For information about the Drag & Drop application options, see The Drag & Drop Application Options on page 81.

Using Upload Files (Advanced) to Make Items Versionable

1. In the **Upload Files (Advanced)** dialog box, select the **Make Uploaded Media Files Versionable** check box.



2. Click Upload.

This makes the files you are currently uploading versionable. You must select this check box every time you upload some files to the media library.

Chapter 7

RSS Feeds

Sitecore supports RSS feeds. This chapter describes how to set up an RSS feed as well as how to subscribe to an RSS feed.

There is also a description of the client RSS feeds that Sitecore users can subscribe to.

This chapter contains the following sections:

- Security and Client RSS Feeds
- RSS Feeds
- Sitecore Client Feeds
- Security and Client RSS Feeds

7.1 RSS Feeds

An RSS (Really Simple Syndication) is a Web feed that is used to publish frequently updated material — such as blogs, news headlines, audio, video, and so on — in a standardized format. An RSS feed can contain either the full text of the material or a summarized version, as well as metadata, such as, publishing dates, and authorship.

RSS feeds allow publishers to syndicate content automatically. Conversely, Web site visitors can subscribe to these feeds and automatically receive updates from their favorite Web sites.

Web site visitor subscribes to a feed by clicking an RSS icon in a browser and this initiates the subscription process. The RSS reader checks the user's subscribed feeds regularly to see if there are any updates and then downloads the updates that it finds, and provides the Web site visitor with an interface to monitor and read the feeds.

7.1.1 Setting Up an RSS Feed


In Sitecore, you *must* use the Content Editor to set up an RSS feed.

You typically create RSS feeds for content items that are updated regularly — such as news items and blogs. In this example, you create an RSS feed for a news item.

Before you can create any RSS feeds, you must create a folder to store your feed items.

To create a folder for feed items:

1. In the **Content Editor**, in the content tree, select the *Home* item of the Web site.
2. On the **Home** tab, in the **Insert** group, click the drop down arrow and select *Insert from Template*.




3. In the **Insert from Template** dialog box, navigate to *Templates/Common/Folder*.
4. Give the new folder a name — *RSS Feeds*.


Now that you have created a folder to store the RSS feeds in, you can create an RSS feed.

To create an RSS feed in the Content Editor:

1. In the **Content Editor**, select the *RSS Feeds* folder that you just created.
2. In the **Home** tab, in the **Insert** group, click *Insert from Template*.




3. In the **Insert from Template** dialog box, navigate to `Templates/System/Feeds/`, and select *RSS Feed* to create a feed based on this template.
4. In the **Item Name** field, enter a name for the new feed — *News RSS Feed*.
5. Click **Insert** and the new feed item is created and opened in the Content Editor.



The new feed displays a warning informing you that the feed is empty and that you must select an item to include in the feed.

6. In the **Items** field, click Insert Link.



7. In the **Item Browser** dialog box, expand the *Home* item and select the *News* item.

The *News* item is included in the RSS feed.

8. In the **Description** field, enter a description of the RSS feed.
9. Save the new item.

You have now created the *News RSS Feed* item.

Now let's think about what the feed should contain. The feed should not tell subscribers that the *News* item has been updated; it should contain information about news articles that are created or updated.

Note


You can only create an RSS feed to an item that has subitems. If you create an RSS feed to an item that does not have any subitems, Sitecore tells you that the feed is empty.

The next step is to configure how the news articles are presented in the RSS feed.


To configure how an RSS feed is presented:

1. In the **Content Editor**, expand the *News* item and select one of its subitems.

- Click the **Presentation** tab.



- In the **Presentation** tab, in the **Feeds** group, click Design.



- In the **Feed Presentation** dialog box, specify how the feed is presented to the user who subscribes to this RSS feed.

Field	Value
Title Field	The item field that you want to appear in the title of the feed.
Body Field	The item field that you want to appear in the body of the feed.
Date Field	The date field that you want to appear in the feed. This could be, for example, the date the item was created, updated, or the date from which the news applies.
Preview	A preview of the feed.

- When you have filled in these fields, click OK.

In the **Feeds** group, you can see that the Design button now has a green check mark indicating that an RSS feed has been designed for this item.

6. In the **Content Editor**, save your changes.

Important


This item and all the other items based on the same template are presented in the same way in the feed. If some of the subitems are based on a different template, you must also specify how those items should be presented in the feed.


When you have configured how the feed should be presented, the RSS feed item should no longer display any warnings.

Identifying the Template that an Item is Based on

As a content author, you probably don't have access to the template in Sitecore. In fact, you may not be aware of the templates that the content items are based on.


To see which template an item is based on:

1. In the **Content Editor**, click the Sitecore button , and then click Application Options.



2. In the **Application Options** dialog box, select the **Quick Info Section** option.
3. In the **Content Editor**, select the item you are interested in.
4. The **Content** pane should now display a section called **Quick Info** at the top of the item.

- Expand the **Quick Info** section.




- The **Template** field tells you which template the item is based on.

7.1.2 Creating a Link to the RSS Feed


After you have defined the RSS feed, you must add a link to the parent content item so that the users can subscribe to the feed.

To add a link to the content item:

- In the **Content Editor**, open the *News* item.
- Scroll down to the **Text** field and click Show Editor.
- In the **Rich Text Editor**, enter some text for the link.



4. Select this text and click the Insert Sitecore Link button .



5. In the **Insert a Link** dialog box, navigate to the RSS feed item that you created earlier.
6. Click Link to create the link.
7. In the **Content Editor**, save your changes.

Previewing the RSS Feed

Now that you have created the RSS feed for the *News* item, you can preview it to test that it works and looks the way you want it to.

To preview the RSS feed:

1. In the **Content Editor**, open the *News* item.
2. Click the **Presentation** tab and then in the **Preview** group, click Preview.

When you are satisfied that the RSS feed works correctly you can publish it on your Web site.

Note

You must publish all the changes you made before they are available on your Web site.


A More Complicated Scenario

As we mentioned earlier, if the subitems are based on a different template, you must specify how each of these items should be presented in the feed. Let's look at such a scenario.

For example, if you use your Web site to promote your extensive range of products. You might want to create an RSS feed for your products page so that customers can keep up to date with the latest changes to your product portfolio.

However, these products are divided into different categories and the Web site uses different templates.

The content tree might look something like this:



To create an RSS feed for your products:

1. Open the **Content Editor**.
2. Select the *Products* item and set up the RSS feed for this item — it is the parent item.
3. In the *Products* item, insert a link to the feed item.
4. Select one of the product categories and click Presentation, Design to configure how the feed is presented for this item.


If the different product categories use different templates, configure one of each.

5. Select one of the product items and click Presentation, Design to configure how the feed is presented for one of the individual product items.

Again, if the different product items use different templates, configure one of each.

6. Select the *Products* item and click Preview to see a preview of the feed.
7. When you are satisfied with the feed, publish all the items that you have modified.

This RSS feed presents a list of all the product category items and product items listed according to date.



7.1.3 Subscribing to an RSS Feed

When a visitor logs on to the Web site they can easily subscribe to the RSS feed.


To subscribe to the RSS feed:

1. Open your Web site in Internet Explorer.

- Navigate to the item that you have created an RSS feed for — the *News* page.



- In the *News* page, click the *Subscribe to an RSS Feed* link to open a new page displaying the RSS feed.



4. In the RSS Feed page, click *Subscribe to this feed*.



5. In the **Subscribe to this Feed** dialog box, give the feed a name and specify where you would like to save it.
6. Click **Subscribe** to add the feed to your list of feeds.
7. You have now subscribed to this feed. When you open your browser, you can click **Favorites**, **Feeds**, and then click the **News RSS Feed** to see a list of all the news items on this Web site.

7.2 Sitecore Client Feeds

Sitecore also contains a number of client feeds that content authors and other users of Sitecore can subscribe to.

Sitecore contains the following client feeds:

- Content item feeds
- Workflow feeds
- Workflow state feeds

All of these client feeds are dependent on the items in question being subject to workflows.

For information about workflows, see Chapter 8, 'Workflows for Content Editors'.


7.2.1 Item Feeds

To be informed about any changes that are made to an item in Sitecore, you can subscribe to an RSS feed for that item. You can subscribe to a feed for any item in the Content Editor content tree. However the feed will only contain useful information if the template that the item is based on is subject to a workflow.


To subscribe to a Sitecore item feed:

1. In the **Content Editor**, navigate to the item that you are interested in.

In this example, you are a HR manager who wants to ensure that the text in an item about a job vacancy is correct before it is published on your Web site. You therefore subscribe to an RSS feed for this particular item.



2. Click the **Review** tab, and then in the **Proofing** group, click **Subscribe**.




3. In the Web page that opens, click *Subscribe to this feed* and add this RSS feed to your favorites.

As you can see the RSS feed does not contain very much information at the moment. However, if a content author edits the item and moves it through the workflow, the feed becomes much more informative. When the item is edited by a content author, a new version is created and placed in the *Draft* workflow state.

After a couple of days, the HR manager decides to check the RSS feed.

In **Internet Explorer**, in the **Favorites** panel, click the **Feeds** tab, and then click the link to the item feed.



This Web page contains some information about the item, including:

- The name of the item.
- Its current workflow state.
- The workflow history of the item.
- A table showing the differences between the new version and the old version of the item.


It also contains some workflow commands that let you move the item through the workflow — if you have the appropriate permissions.

Sitecore Workflow Feeds

Sitecore also contains some workflow feeds that you can subscribe to.


To subscribe to a workflow feed:

1. Open the Workbox.



2. To subscribe to the workflow feed, click the RSS feed button for the workflow.

This client feed keeps you up to date on the entire workflow and is useful for administrators and super users who have access to every workflow state that the workflow contains.



3. To subscribe to a workflow state feed, click the RSS feed button for the workflow state.

This client feed keeps you up to date on this particular workflow state. This client feed is useful for content authors and managers who only have access to particular workflow states.

Items in the Draft state of the Sample Workflow workflow
24. september 2009, 11:11:18

The 'Older-News' item has moved to the 'Draft' workflow state.

24. september 2009, 11:11:18 →
[/Home/News/Older-News](#)
English, Version 2

What do you want to do with Older-News:

- [Submit or Submit & comment](#)
- [Edit it](#)

Version changes:

Field Title	Previous Version (1)	Current version (2)
Breadcrumb Title:	Older News Articles not Shown on Front Page	Older News Articles not Shown on Front Page
Menu Title:	Old News not on Front Page	Old News not on Front Page
Title:	Older News Articles not Shown on Front Page	Older News Articles not Shown on Front Page
Text:	As you add more news items, older news automatically falls off the front page. Of course, if you have some 'news' that stays hot long after you first reported it, you can add that to the Sidebar text for the front page. That way, visitors will always see it when they open the site.	As you add more news items, older news automatically falls off the front page. However, if you have some 'news' that stays hot long after you first reported it, you can add that to the Sidebar text for the front page. That way, visitors will always see the important news items when they open the site.
Date:	20071128T120000	20071128T120000
Overview:	As you add more news items, older news automatically falls off the front page.	As you add more news items, older news automatically falls off the front page.
Abstract:		
Overview Image:	100	100
Main Width:		

[Previous the subpage](#)

Workflow history:

Date	User	Previous State	Current State	Comment
Thursday, September 24, 2009 11:48 AM	jones.untapcontentauthor@sitecore.net		Draft	Item created
Thursday, September 24, 2009 11:54 AM	Audrey.Normal.Content.Author@sitecore.net	Draft	Awaiting Approval	Ready for review
Thursday, September 24, 2009 11:12 PM	sitecore-admin	Awaiting Approval	Draft	Needs more work

The 'Account-Manager' item has moved to the 'Draft' workflow state.

24. september 2009, 11:08:11 →
[/Home/Jobs/Account-Manager](#)
English, Version 2

What do you want to do with Account-Manager:

- [Submit or Submit & comment](#)
- [Edit it](#)

Version changes:

Field Title	Previous Version (1)	Current version (2)
Breadcrumb Title:	\$name	\$name
Contact:	jobs@sample.com	jobs@sample.com
Deadline:	20091001T112600	20091001T112900
Menu Title:	Account Manager	Account Manager

Using the RSS Feeds

When you have subscribed to a workflow feed, you can use the RSS Feed to perform the tasks that you have permission for.

For example, in the following feed:

Updates to Account-Manager Sitecore item
24. september 2009, 14:07:22

The Account-Manager was moved to the Awaiting Approval workflow state
24. september 2009, 14:07:22

The Account-Manager item was moved from Draft to Awaiting Approval workflow state by [Audrey Normal Content Author User](#)

[/Home/Jobs/Account-Manager](#)
English, Version 2

What do you want to do with Account-Manager:

- [Approve or Approve & comment](#)
- [Reject or Reject & comment](#)
- [Edit it](#)


Version changes:

Field Title	Previous Version (1)	Current version (2)
Breadcrumb Title:	\$name	\$name
Contact:	jobs@sample.com	jobs@sample.com
Deadline:	20091001T112600	20091001T112900
Menu Title:	Account Manager	Account Manager

The user can:

- Approve or reject the item.
- Approve or reject the item and insert a comment.
- Edit the item.

If you click *Reject & comment*, the following page appears:



Enter a comment to reject Account-Manager:

Enter your comment and then click **Reject** to send the item back to the previous workflow state.

Important

You must select the **Remember me** check box on the Sitecore login page to perform these tasks without having to log in.

If you haven't selected the **Remember me** check box, you must log in before you are directed to the appropriate page.

7.3 Security and Client RSS Feeds

RSS technology is designed so that users who follow an RSS link can come directly to the item specified in the URL of the RSS feed. Most RSS readers do not support authentication. This means that users who subscribe to Sitecore client RSS feeds have direct access to the item specified in the URL of the RSS feed and do not have to identify themselves to the Sitecore security system when they view the RSS feed. However, the Sitecore security system verifies that they are authorized users when they try to perform any actions associated with the client feed.

If someone else gains access to the URL of the RSS feed:

- They *can* follow the link and view all the content contained in the RSS feed even though their own security permissions do not give them access to this item.
- They *cannot* perform any actions on the content.
- They *cannot* view any other content.
- They *cannot* gain access to the username or password of the original owner of the RSS feed.
- They *cannot* modify the link to gain access to any other content.

Important

Sitecore users should not share RSS feeds.

To learn how to tighten security around RSS feeds, see the *Sitecore Security Hardening Guide*.

Chapter 8

Workflows for Content Editors

This chapter describes workflows, what you can use them for, and how they are implemented in Sitecore. There is also a description of the Workbox that reviewers use to move items through workflows.

- Workflows
- The Workbox

8.1 Workflows

Workflows are a system that you can use in Sitecore to control when a content item is published.

A workflow is a series of states that you define. These states should reflect the work processes and procedures that have been implemented in your organization for creating Web content. These states can correspond to the creation, review, and approval stages that content items must go through before they are published on your Web site.

Workflows are a way of formalizing and enforcing these processes and procedures to ensure that only content items that have been approved are published.

A workflow can contain any number of different workflow states and be as simple or complex as required. Content items do not necessarily have to pass through all the workflow states that you have defined — some states can be optional or only applicable for certain kinds of content.

Furthermore, you can implement any number of different workflows. Each workflow must contain one workflow state that has been defined as the final workflow state.

Content items must pass through the appropriate workflow states and can only be published when they are in the final workflow state.

8.1.1 Implementing Workflows

Workflows are normally implemented by developers. It can however be useful for content authors to understand how they are constructed and implemented.

Workflows consist of special items that are stored in the Sitecore content tree.

A workflow consists of:


A Workflow — the main item that contains all of the subitems that make up the workflow.

Workflow States — the basic building blocks of the workflow. The workflow states represent the different stages in your content creation process. Content items that are sent through a workflow start in the initial workflow state and finish in the final workflow state.

Workflow Commands — the actions that must be performed by the various contributors to move the content items from one workflow state to another.

Workflow Actions — actions that are automatically performed on the content items when they are in particular workflow states or when particular workflow commands are executed.

Here is an example of a workflow:



After the workflow has been defined, the developer specifies which item templates are subject to the workflow. When they have done this, every time a content author creates or edits a content item that is based on one of these templates the content item is sent to the initial workflow state of this workflow.

Important

Content items can only be published when they are in the final workflow state.

8.1.2 Using Workflows

After the workflow has been implemented, content authors must send the content items they create or edit through the workflow before they can be published.

When you create a new content item, it is automatically placed in the initial workflow state. The content item remains in the initial workflow state until you use a workflow command to move it to another workflow state.

If you edit an existing content item that is subject to a workflow, Sitecore creates a new version of this content item and places it in the initial workflow state. If you edit this content item again later, you edit the version that is in the workflow unless you specify that you want to edit another version.

Important


Content items that are edited by administrators are not subject to workflows.

Sending Content Items through Workflows

When you have finished editing the content item, you can send it to the next workflow state.

To send a content item to the next workflow state:


1. In the **Content Editor**, open the content item that you are working on.
2. When you are satisfied that it can be sent on through the workflow, click the **Review** tab.



As you can see, the **Workflow** group displays a workflow command — *Submit*. This is the only workflow command that you can apply to the current content item in its present workflow state.


Furthermore, the content item also displays a message informing you that this version of the item cannot be published because it is not in the final workflow state.

3. Click Submit to send the content item to the next workflow state. Sitecore displays a dialog box for you to enter a comment:



4. Enter a comment and then the content item is moved to the next workflow state.

The workflow commands that are available in the **Workflow** group change to reflect the item's new status.



However, if you do not have permission to edit the content item in this workflow state, you cannot lock the item for editing and the workflow commands will not be displayed.

Sitecore also contains a Workbox that been designed to give reviewers a greater overview of all the content items that are currently in workflows.

8.2 The Workbox


The Workbox is a tool for reviewers and managers and gives them the overview they need to perform their tasks.

Using the Workbox

When you need to review content items, you should use the Workbox to see all the content items that are currently in workflows and which workflow states they are in.

To use the Workbox:

1. Log in to the Sitecore Desktop.
2. Click Sitecore, Workbox:



In the **Workbox**, you can see that the *Sample Workflow* has been selected and you can see all the relevant workflow states. You can also see that there is one content item in the *Awaiting Approval* workflow state.

3. In every workflow state, you can preview, open, compare, each content item as well as apply the workflow commands that have been defined for that workflow state.

In the *Awaiting Approval* workflow state, you can approve, or reject the content item.

Previewing an Item


To preview the version of a content item that is in a workflow state, click Preview and this version of the item is displayed in a new browser window.

Opening an Item

To open a content item, click Open and the item is opened in the Content Editor.

Comparing an Item

To see the changes that have been made to a content item, click Diff.




The **Compare Versions** dialog box lets you see the changes that have been made to this version of the item. You can select which versions to compare and whether you want them displayed in one or two columns.

Approving or Rejecting an Item

When you are finished reviewing the content item, click approve or reject to move it to the appropriate workflow state.

Several Workflows

If you have implemented more than one workflow, you can view them at the same time or switch between the different workflows in the **Workbox**.



To display or hide a workflow in the **Workbox**, select or clear the check boxes in the **Workflows** group. You can also expand and collapse each workflow and workflow state.

Chapter 9

Customizing the Interface

You can change the interface in Sitecore. This chapter describes how to increase usable screen space, customize the interface in the Content Editor and in the Page Editor. There is also a description of how to customize the Sitecore Desktop.

This chapter contains the following sections:

- Working with the Browser
- Customizing the Content Editor
- Customizing the Page Editor

9.1 Working with the Browser

All of the interfaces and programs that Sitecore contains are displayed in a normal Web browser.

9.1.1 Full Screen Mode

If you need to see more of the Web page or item that you are editing because there are too many elements in the way or because you are using a computer with a small screen, you can gain some space by expanding the browser interface to full screen mode.

To enable full screen mode, press F11. This expands the browser window to fill the entire screen and hides the user interface elements of the browser — the title bar, menus, toolbar and status bar.

To see some of hidden user interface elements, move your mouse to the top of the screen. Press F11 again to restore the hidden browser user interface elements and exit full screen mode.

9.1.2 The Sitecore Desktop

When you are using the Sitecore Desktop application you can change some of the settings that affect the way Sitecore looks and customize other settings to suit your needs.

In the Sitecore Desktop, you can:

- Change the desktop background.
- Change your password.
- Change the application options.
- Change your personal information.
- Change the language settings.


Changing the Desktop Background

You can change the image displayed as your desktop background when you log in to the Sitecore desktop.


To change the desktop background:

1. Log in to the Desktop.

2. Click the Sitecore menu and then click Control Panel, Preferences:



3. In the **Preferences** dialog box, click Change Your Desktop Background.




4. In the **Background** field, select the image that you want to use.
5. In the **Position** field, use the drop down arrow to select how you want to place the image on the desktop.
6. In the **Color** field, select the color you want to surround the image if it does not fill the screen.

Changing Your Password

To change your password:


1. In the Sitecore Desktop, click the Sitecore menu and then click Control Panel, Preferences.

2. In the **Preferences** dialog box, click Change Your Password.



3. In the **Change Password** dialog box, enter your current password and then enter and confirm your new password.

You can also change your password in the Sitecore log in page.




Changing your Personal Information

To change your personal information:

1. In the Sitecore Desktop, click the Sitecore menu and then click Control Panel, Preferences.

2. In the **Preferences** dialog box, click Change Your Personal Information.




3. In the **Personal Information** dialog box, you can change your name, e-mail address, and the image that is used as your portrait throughout Sitecore.

Changing Your Regional and Language Options

To change your regional and language options:

1. In the Sitecore Desktop, click the Sitecore menu and then click Control Panel, Preferences.
2. In the **Preferences** dialog box, click Set Your Regional and Language Options.



3. In the **Regional and Language Settings** dialog box, you can:
 - Select the formats that you want to use for numbers, currencies, times, and dates.
 - Select the language that you want the client application to use.

Using the Default Settings

To use the default settings:

1. In the Sitecore Desktop, click the Sitecore menu and then click Control Panel, Preferences.
2. In the **Preferences** dialog box, click Reset My Settings to Default values.

9.2 Customizing the Content Editor

The Content Editor contains a number of user interface elements that you can.

You can, for example, give yourself more room to work in by:

- Customizing the ribbon.
- Customizing the content tree.
- Resizing the editing pane.

9.2.1 Customizing the Ribbon

There are several ways in which you can customize the ribbon.


You can:

- Hide the ribbon.
- Hide the tabs.
- Create your own toolbar

Hiding the Ribbon

To hide the ribbon in the Content Editor:

1. Double-click any tab to hide the ribbon.



The ribbon is removed but the tabs are still displayed.


2. Click on a tab to open that tab and display the ribbon again.

Hiding Tabs

You can also specify which tabs are displayed in the Content Editor.

To hide a tab:

1. Right-click anywhere on the ribbon to open a dialog box:




2. Select or clear the check boxes to decide which tabs you want displayed in Content Editor.
3. Click reset to restore the default tab selection.

Creating your own Toolbar

You can also create your own toolbar that only contains the tools and functionality that you need to do your work.


To create your own toolbar:

1. Right-click anywhere on the ribbon and click Customize to open the Customize My Toolbar dialog box.



1. In the **All** pane, expand the groups and select the commands that you want on your toolbar.

You can only select commands and not groups. You can however insert separators to divide them into groups and use the up and down arrows to place the commands in the order you want.



- When you are finished, click OK.
- Right-click on the ribbon to open the tabs dialog box and select the **My Toolbar** tab. The tab is added to the ribbon and contains all the command that you just selected.




9.2.2 Customizing the Content Tree

In the Content Editor, you can easily resize the content tree pane or hide the content tree entirely if you prefer.

Hiding the Content Tree

To hide the content tree:

- In the **Content Editor**, click the **View** tab.



- Clear the **Content Tree** check box to hide the content tree.
- Clear the **Entire Tree** check box to hide the root of the content tree (sitecore) and the media library. This view ensures that users can only see the items that are part of their Web site.

4. Clear the **Hidden Items** check box to hide some of the system items that are displayed in the content tree.

The other two settings — Raw Values and Standard Fields are only relevant for administrators.

Resizing the Content Tree


You can also resize the content tree. This can be useful when you need to find an item or when the pane takes up too much space.

To resize the content tree:

1. In the **Content Editor**, move the mouse over the bar between the Content Tree and the **Editing** pane.
2. Drag the bar to the left or right to resize the elements in the window.


Configuring the Quick Action Bar

The Quick Action Bar runs down the side of the content tree and can be used to display information that can be useful to both the content author and the administrator.



To configure the Quick Action Bar

1. Right-click the Quick Action Bar to see a list of the elements that it can display.



2. Click an item in the menu to hide or display an icon beside the item that is affected.

You can select the following items:

Menu Item	Tells you
My Locked Items	Which items you have locked.
Locked Items	Which items have been locked by another user and who locked it.

Menu Item	Tells you
Workflow State	The workflow state of the item.
Broken Links	Which items contains broken links.
Missing Versions	Which items are missing a version.
Published Warnings	Which items have published warnings.
Validation Rules	Which items contain validation errors.

Note

The items that are available in this menu in your Sitecore solution may vary from the ones shown here. This is controlled by your Sitecore system administrator.

You can select as many of these options as you like. There is a performance overhead to pay for each of these options.

Important


The *Validation Rules* and *Broken Links* options are the most costly of the Quick Action Bar options. Each time you open an item in the content tree the client must make a server call to refresh these options.

9.2.3 Changing the Application Options

When you are using the Content Editor, you can also specify which elements of the Content Editor application should be displayed.


To configure the Content Editor:

1. In the **Content Editor**, click on the Sitecore button in the top left-hand corner.




Alternatively, in the Sitecore Desktop, click the Sitecore menu and then click Control Panel, Preferences.

- Click Application Options to open the **Application Options** dialog box.



- Select or clear any of the check boxes to hide or show the element in question.


The following screenshot points out where most of these elements are found in the Content Editor:



The remaining elements in the **Show/Hide** section are:

- Fields from Standard Template — selecting this option will display a large number of fields that are used internally by Sitecore. These are hidden to improve performance.


- Use Smart Tags — an alternate way to show the commands associated with a field.




- Prefetch Collapsed Sections — the system fetches and keeps the fields from the Field Sections in memory before the section is even opened.

The other important option on the **Content Editor** tab is in the **Pages** section — Show Pages Bar.

This option determines whether or not the shortcuts to the Sitecore applications are displayed at the bottom of the screen.



The **View** tab of the **Application Options** dialog box contains a few more options.



In the **Content Tree – Item Names** section, you can specify whether you want the content tree to show the key that each item has or to show the language specific display name that you can give an item.


In the **Content Tree Root** section, you can specify whether or not you want the content tree shown in the Content Editor and whether or not you want the entire content tree shown.

Setting the Display Name of an Item

To set the display name of an item:

1. In the **Content Editor**, select the item in the content tree.

2. On the **Home** tab, in the **Rename** section, click Display Name.
3. When you are prompted, enter the name that you want displayed in the dialog box that appears.
4. Refresh the content tree and the display name is visible:



In the **Content** pane, the key is shown after the display name.
Furthermore, the display name is also used for the item in the published Web site.

9.3 Customizing the Page Editor

You can also customize the Page Editor. However, because the Page Editor contains limited functionality there is not that much that you can change about it.

9.3.1 Working with the Ribbon


The functionality that is available to you in the Page Editor is determined by the roles that your site administrator has assigned you.

Hiding the Ribbon

If you only have limited access to the functionality contained in the Page Editor, you can hide the ribbon to give yourself more space to work with.

To hide the ribbon:

1. Log in to the **Page Editor**.



2. Click the Ribbon button at the top of the screen to hide the ribbon.
3. When you need to use the ribbon, click Ribbon and it appears again.

Changing the Interface


If you have access to more functionality in the Page Editor, you can also change the way the Page Editor presents editable items to you.

To change the interface:

1. Log in to the **Page Editor**.



2. In the **Page Editor**, click the **View** tab.



3. In the **View** tab, select or clear the check boxes to:
- Specify whether or not the items are editable.
 - Whether or not the editable items are displayed in a floating frame.
 - Whether or not a dot is displayed beside the editable items.